

**Productname :** SHERWOOD SAWING & DRILLING COMPOUND  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN)  
**Creationdate :** 16.03.20 Version : 1.1  
**Replaces:**

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

**SHERWOOD SAWING & DRILLING COMPOUND**  
Bulk

**Order code:** SHR-732-4040K

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Lubricants

**1.3. Details of the supplier of the safety data sheet**

**Supplied by:** Sherwood  
Wigston  
Leicester  
England  
LE18 2FS

**Manufacturer:** CRC Industries UK Ltd. Ambersil House - Wylde Road  
Castlefield Industrial Estate TA6 4DD Bridgwater Somerset  
United Kingdom

**Tel.:** +44 1278 727200  
**Fax.:** +44 1278 425644

**e-mail address of person** hse.uk@crcind.com

**Telephone:** +44 (0) 116 288 8000

**Fax no.:** +44 (0) 116 288 8222

**1.4. Emergency telephone number**

(+44)(0)1278 72 7200 (office hours)

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Regulation (EC) No 1272/2008**

**Physical:** Not classified  
Classification is based on test data.  
**Health:** Not classified  
Classification based on calculation method.  
**Environment:** Not classified  
Classification based on calculation method.  
**Other hazards :** Contains:  
Pine Oils  
May produce an allergic reaction.

**2.2. Label elements****Labelling according to Regulation (EC) No 1272/2008**

**Productname :** SHERWOOD SAWING & DRILLING COMPOUND  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN)  
**Creationdate :** 16.03.20 Version : 1.1  
**Replaces:**

None

**Precautionary statement(s):** P102 : Keep out of reach of children.  
P501-2 : Dispose of contents/container to an authorised waste collection point.

**Supplemental Hazard information:** Contains:  
Pine Oils  
May produce an allergic reaction.

### 2.3. Other hazards

No information available

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable.

### 3.2. Mixtures

Hazardous ingredient	Registration number	CAS-nr.	EC-nr	w/w %	Hazard Class and Category	Hazard statement	Notes
Residual oils (petroleum), hydrotreated; Baseoil - unspecified	01-2119489287-22	64742-57-0	265-160-8	1-5	-	-	L
Pine Oils	-	-	-	<1	Flam. Liq. 3, Eye Irrit. 2, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Chronic 2	H226,H319,H315,H317,H304,H411	

#### Explanation notes

L : not classified as carcinogen, less than 3% DMSO extract as measured by IP 346

(\* Explanation phrases : see chapter 16)

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

**Contact with eyes :** If substance has got into eyes, immediately wash out with plenty of water for several minutes  
Seek medical attention if irritation persists

**Contact with skin :** Wash with water and soap.  
Seek medical attention if irritation persists

**Inhalation :** Fresh air, keep warm and at rest.  
Seek medical attention if ill effects occur

**Ingestion :** If swallowed do not induce vomiting  
Seek medical advice

### 4.2. Most important symptoms and effects, both acute and delayed

**Productname :** SHERWOOD SAWING & DRILLING  
COMPOUND  
**Creationdate :** 16.03.20 Version : 1.1  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN) **Replaces:**

**Inhalation :** Inhalation of solvent vapours may give rise to nausea, headaches and dizziness  
**Ingestion :** May cause gastrointestinal disturbances  
**Skin contact :** May produce an allergic reaction.  
May cause irritation.  
Symptoms : redness and pain  
**Eye contact :** May cause irritation.  
Symptoms : redness and pain

#### 4.3. Indication of any immediate medical attention and special treatment needed

**General Advice :** If you feel unwell, seek medical advice (show the label where possible)  
If symptoms persist always call a doctor

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

foam, carbon dioxide or dry agent

#### 5.2. Special hazards arising from the substance or mixture

Forms hazardous decomposition products  
CO,CO2

#### 5.3. Advice for firefighters

Keep container(s) exposed to fire cool, by spraying with water  
In case of fire, do not breathe fumes

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Shut off all ignition sources  
Ensure adequate ventilation  
Wear suitable protective clothing including eye/face protection.

#### 6.2. Environmental precautions

Do not allow to enter public sewers and watercourses  
If polluted water reaches drainage systems or water courses, immediately inform appropriate authorities

#### 6.3. Methods and material for containment and cleaning up

Absorb spillage in suitable inert material

#### 6.4. Reference to other sections

For further information see section 8

**Productname :** SHERWOOD SAWING & DRILLING  
COMPOUND  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN)  
**Creationdate :** 16.03.20 Version : 1.1  
**Replaces:**

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Use only in well ventilated areas  
Avoid contact with skin and eyes.  
Wash thoroughly after use  
Wear protective gloves/protective clothing/eye protection/face protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in a cool, dry, well ventilated place  
Keep out of reach of children.

### 7.3. Specific end use(s)

Lubricants

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limits :

No information available

### 8.2. Exposure controls

<b>Control procedures :</b>	Ensure adequate ventilation
<b>Personal protection :</b>	Take precautions to avoid contact with skin and eyes when handling the product. It is good practice to wear gloves and to provide adequate ventilation whenever using the product. In all cases handle and use the product in accordance with good industrial hygiene practices.
<b>inhalation :</b>	In case of insufficient ventilation, wear suitable respiratory equipment.
recommended respiratory protection:	Air purifying respirator equipped with ABEK type cartridge
<b>hands and skin :</b>	For accidental contact the use of disposable gloves should be sufficient provided they are changed immediately after a splash or spill may occur. If intentional contact is expected reusable gloves should be used with a breakthrough time greater than the total duration of the product use.
Recommended gloves:	Nitrile
<b>eyes :</b>	Wear safety eyewear according to EN 166.

## SECTION 9: Physical and chemical properties

**Productname :** SHERWOOD SAWING & DRILLING  
COMPOUND  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN)

**Creationdate :** 16.03.20 Version : 1.1  
**Replaces:**

### 9.1. Information on basic physical and chemical properties

**Appearance : physical state :** Paste.  
**colour :** Brown.  
**odour :** Pine.  
**pH :** Not applicable.  
**Boiling point/range :** Not applicable.  
**Flash point :** Not available.  
**Evaporation rate :** Not available.  
**Explosion limits : upper limit :** Not applicable.  
**lower limit :** Not applicable.  
**Vapour pressure :** Not available.  
**Relative density :** Not available.  
**Solubility in water :** Insoluble in water  
**Auto-ignition :** Not available.  
**Viscosity :** Not available.

### 9.2. Other information

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No hazardous reactions known if used for its intended purpose

### 10.2. Chemical stability

Stable

### 10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose

### 10.4. Conditions to avoid

Avoid overheating

### 10.5. Incompatible materials

Strong oxidising agent

### 10.6. Hazardous decomposition products

CO,CO2

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

**Productname :** SHERWOOD SAWING & DRILLING  
COMPOUND  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN)  
**Creationdate :** 16.03.20 Version : 1.1  
**Replaces:**

**acute toxicity:** based on available data the classification criteria are not met  
**skin corrosion/irritation:** based on available data the classification criteria are not met  
**serious eye damage/irritation:** based on available data the classification criteria are not met  
**respiratory or skin sensitisation:** based on available data the classification criteria are not met  
**germ cell mutagenicity:** based on available data the classification criteria are not met  
**carcinogenicity:** based on available data the classification criteria are not met  
**toxicity for reproduction:** based on available data the classification criteria are not met  
**STOT-single exposure:** based on available data the classification criteria are not met  
**STOT repeated exposure:** based on available data the classification criteria are not met  
**aspiration hazard:** based on available data the classification criteria are not met

**Information on likely routes of exposure:**

**Inhalation :** Inhalation of solvent vapours may give rise to nausea, headaches and dizziness  
**Ingestion :** May cause gastrointestinal disturbances  
**Skin contact :** May cause irritation.  
May produce an allergic reaction.  
**Eye contact :** May cause irritation.

**Toxicological data :**

No information available

**SECTION 12: Ecological information****12.1. Toxicity**

Not classified

**Ecotoxicological data:**

No information available  
No information available

**12.2. Persistence and degradability**

No information available

**12.3. Bioaccumulative potential**

No information available

**12.4. Mobility in soil**

Insoluble in water

**Productname :** SHERWOOD SAWING & DRILLING  
COMPOUND  
**Ref.Nr.:** UDS000984\_3\_20200316 (EN)  
**Creationdate :** 16.03.20 Version : 1.1  
**Replaces:**

#### 12.5. Results of PBT and vPvB assessment

No information available

#### 12.6. Other adverse effects

No information available

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Do not discharge into drains or the environment, dispose to an authorised waste collection point.

**National regulations :** Disposal should be in accordance with local, state or national legislation

### SECTION 14: Transport information

#### 14.1. UN number

UN-number : Not classified as hazardous for transport

#### 14.2. UN proper shipping name

Proper shipping name: Not applicable.

#### 14.3. Transport hazard class(es)

Class: Not applicable.

ADR/RID - Classification code: Not applicable.

#### 14.4. Packing group

Packing group: Not applicable.

#### 14.5. Environmental hazards

ADR/RID - Environmentally hazardous: No

IMDG - Marine pollutant: No

IATA/ICAO - Environmentally hazardous: No

#### 14.6. Special precautions for user

IMDG - Ems: Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<b>Productname :</b>	SHERWOOD SAWING & DRILLING COMPOUND	<b>Creationdate :</b>	16.03.20 Version : 1.1
<b>Ref.Nr.:</b>	UDS000984_3_20200316 (EN)	<b>Replaces:</b>	

Not applicable.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

The Safety Data Sheet is compiled according to the current European requirements.  
Regulation (EC) No 1907/2006 (REACH)  
Regulation (EC) No 1272/2008 (CLP)

### 15.2. Chemical safety assessment

No information available

## SECTION 16: Other information

\*Explanation hazard statements: - : -  
H226 : Flammable liquid and vapour.  
H304 : May be fatal if swallowed and enters airways.  
H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H319 : Causes serious eye irritation.  
H411 : Toxic to aquatic life with long lasting effects.

acronyms and synonyms:  
TWA = time weight average  
STEL = short time exposure limit  
VOC = volatile organic compounds  
PBT = persistent bioaccumulative toxic  
vPvB = very persistent very bioaccumulative

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.